

深圳市万阳盛和科技有限公司

地址: 深圳市光明区凤凰街道光明凤凰广场 2 栋 705号

惠州仲恺高新区陈江街道仲恺六路 333号星河仲恺人工智能产业园 B1 栋厂房第 5-6 层

手机: +86-13828875559 电话: +86-0755 26611896 邮箱: order@wonyo.com 网址: http://www.wonyo.com

http://www.embroideryorder.com http://www.isewworld.com

SHENZHEN WANYANG TECHNOLOGY CO.,LTD

Address: 705F,B2,Guangming Fenghuang Plaza, Guangming District,Shenzhen,China

5-6F, B1, Xinghe IMC, Zhongkai High-tech Zone, Huizhou, Guangdong, China

Mobile: +86-13828875559
Telephone: +86-0755 26611896
E-mail: order@wonyo.com
Website: http://www.wonyo.com

http://www.embroideryorder.com http://www.isewworld.com



WEAVING OPPORTUNITIES, NURTURING YOUR ORIGINALITY

O1 公司简介 Company Profile

> 万阳介绍 WONYO Introduction

万阳荣誉 WONYO Honor

万阳发展 WONYO Developmen

万阳文化 WONYO Culture

万阳团队 WONYO Team

02 刺绣设计软件EMCAD
Professional Design Software
EMCAD

O3 单头机系列 Single Head Machine Series

> Nest 系列 Nest Series

> Nova系列

Quality系列 Quality Series

马头机系列 Single Head Machine Series

单头机配件 Single Head Machine Accessories O4 多头机 Multi-bead

多头机 Quality 系列

Multi-head Machine Quality Series

两头机系列

三头机系列

四头机系列

六头机系列 Six Heads Machine Serie

八头机系列 Fight Heads Machine Serie

十头机系列 Ten Heads Machine Series 十二头机系列

Twelve Heads Machine Serie

多头机配件

Multi-head Machine Accessorie

05

混合绣系列

Mixed Embroidery Series

链式毛巾混合绣

盘带混合绣

06

可选配装置

Optional Devices

07

机器优势

Leading Advantages





① 1 公司简介 Company Profile

2009_年

公司成立于

85%

客户复购率

100 +

销往国家

Countries Exported to







制造 Manufacturing



服务

Company Founded in

我们始终在思索:如何为客户创造更高价值,同时成为其信赖共生的紧密合作伙伴。

自 2009 年成立以来,公司专注绣花机研发制造,现已形成丰富的产品矩阵 —— 涵盖毛巾绣、盘带绣、单头帽绣机、多头帽绣机、绣花缝纫一体 机等,能精准匹配不同场景的刺绣需求。凭借持续的技术投入,公司已申请多项专利,产品远销全球 100 余个国家和地区,并先后斩获"国家高新技 术企业""专精特新企业"认证。

公司坚持以人为本,注重管理技术人才的培养,持续提升综合能力,内部构建了完整的生产工艺标准与全流程质量检测体系,不仅为高效生产提供 坚实保障,更同步打造了完善的售后服务体系。目前,工厂已通过 ISO9001 质量管理体系认证。

工厂配备管理严谨的生产车间、原材料检测室、单独研发室等,各生产流水线严格遵循高效率7S管理标准,并全面按照 ISO9001 质量管理体系运作 , 确保精准响应每位客户的个性化需求。

我们拥有一流的国际贸易服务团队,始终以客户需求为导向推进产品开发与创新,以国际化质量标准为目标,致力于提供超越客户期待的产品与

万阳精神:不断突破自我,不断改进创新,勇于挑战,我们积极吸纳德、日、美等国先进技术与管理经验,产品设计聚焦细节研发,严格遵 循人性化、合理化、标准化原则,外观与内在质量均达国际一流标准。

公司专业供应个性刺绣机器,并配套提供软件培训,构建一站式服务体系。我们将以更优品质、更具竞争力的价格,期待客户莅临工厂洽谈合作。

WONYO has always been thinking: how to create greater value for customers while becoming their trusted and symbiotic close partner.

Since its establishment in 2009, WONYO has focused on the R&D and manufacturing of embroidery machines, and has now formed a diverse product portfolio covering Chenille embroidery machines, Taping embroidery machines, single-head cap embroidery machines, multi-head cap embroidery machines, embroidery-sewing combination machines, etc. —which can accurately meet embroidery needs in different scenarios. Relying on continuous technological investment, WONYO has applied for a number of patents; its products are sold to more than 100 countries and regions around the world, and it has successively won certifications as a "National High-Tech Enterprise" and a "Specialized, Refined, Characteristic, and Innovative Enterprise".

WONYO adopts a people-oriented approach, prioritizes the development of management and technical talents, and continuously strengthens its overall capabilities. Internally, it has established a complete set of production process standards and a full-process quality inspection system—providing solid support for efficient production—while also building a sound after-sales service system. Currently, the factory has obtained ISO9001 quality management system certification.

WONYO features strictly managed production workshops, raw material testing labs, and independent R&D rooms. All production lines adhere to the efficient 7S management standards and fully operate in line with the ISO9001 quality management system, ensuring precise response to each customer 's individualized needs.

WONYO has a first-class international trade service team. Guided by customer needs, we drive product development and innovation, align with international quality standards, and are committed to delivering products and services that exceed customer expectations.

WONYO Spirit: We constantly break through ourselves, pursue continuous improvement and innovation, and courageously embrace challenges. We actively absorb advanced technologies and management expertise from Germany, Japan, the United States and beyond. Our product design emphasizes in-depth R&D, strictly adhering to the principles of humanization, rationalization and standardization—ensuring both appearance and internal quality meet world-class standards.

WONYO specializes in providing customized embroidery machines, along with supporting software training, to build a one-stop service system. We look forward to customers visiting our factory for cooperation discussions, offering products of better quality and more competitive prices.



3项 商标注册证|9项 高新技术企业|2项

















深圳市万阳精密机械有限公司成立

公司秉承着创新、诚信、共赢的理念, 为客户提供更加优质的绣花机和服务

Shenzhen Order Embroidery Machine Co., Ltd was established

Companies adhering to the concept of innovation, integrity, win-win, to provide customers with more quality embroidery machines and services

广东富宝隆科技有限公司成立

万阳精密购置物业资产, 拥有属于自己企业的生产制造基地

Guangdong Fubaolong Technology Co., Ltd. was established

Wanyang purchases property assets and has its own manufacturing base



2013 2023

2009

2016

2018

2024

深圳市万阳盛和科技有限公司成立

专注于绣花机的销售,凭借着专业的服务, 逐渐在市场上赢得了客户的认可

Shenzhen Wanyang Technology Co., Ltd was established

Focus on the sales of embroidery machine, with professional services, gradually won the recognition of customers in the market



工厂迁移, 从深圳南山区迁至光明区

Factory Relocation, from Nanshan District. Shenzhen to Guangming District, Shenzhen



参加美国洛杉矶ISS展会 Attended the ISS exhibition in Los Angeles, USA



土耳其展会并成立中东分公司

办公地点沙特约旦,美国分公司成立, 开始亚马逊业务

Turkey exhibition and the establishment of the Middle East branch

Office location Saudi Arabia Jordan, US branch established, start Amazon business



万阳文化 WONYO Culture





公司使命与愿景 COMPANY MISSION AND VISION

让刺绣更智能,让创造更简单

Making embroidery smarter, making creativity simpler.



引领全球智能刺绣机, VISION 焕新中国智造之美 Leading smart embroidery worldwide, showcasing the beauty of Chinese innovation.



万阳团队 WONYO Team



每一张合影,都是万阳人并肩成长的见证

Every group photo is a testament to the growth of Wanyang people side by side



镜头定格的瞬间,是我们与客户双向奔赴的美好,更是合作共赢的序章




















The moment captured by the camera is not only the beautiful mutual pursuit between us and our customers, but also the prelude to win-win cooperation



















刺绣设计软件EMCAD

Professional Design Software EMCAD

- 为初学者和专业人士提供价格更实惠、功能更强大的工具
- 专业门店和零售终端用户落地定制
- 导入软件后,快速自动处理图像,自动生成刺绣机识别格式
- 通用于多品牌机器使用 ,多语言多字体自动输入生成刺绣文件
- 人性化用户界面
- 可自定义的工作界面
- 多个花样视图选项
- Provide beginners and professionals with more affordable and powerful tools
- Customized for professional stores and retail end users
- Post-import Auto-Processing for Embroidery Machine Format
- Universal for use on multi-brand machines, automatically input in multiple languages and fonts to generate embroidery files
- Humanized user interface
- Customizable working interface
- Multiple pattern view options




The program provides a variety of built-in fonts to facilitate the editing of letter patterns. Handling of etter pattern fill stitches and letter outline running




程序可自动识别、打版 Jpeg 和 Jpg 格式 图片文件,直接传输高清人物等照片,机器 与操作头能自动数字化打版并刺绣。

The program can automatically recognize and pattern Jpeg and Jpg format image files, directly transfer nigh-definition photos of people, etc. The machine and the operating head can automatically digitally



- a. 普通方式的单边锯齿与双边锯齿
- 按照缩放系数与缩放数量处理的单边锯齿与双边锯齿




使自定义的一条或者多条曲线作为分割线 ,通 过此分割线来分割已经做好的花样,使树叶或

Use one or more custom curves as dividing lines, and use these dividing lines to divide the already completed patterns, making the effect of leaves or petals more




支持多种轮廓针迹,单针,主题单针,绳状计

Supports various contour stitches, single stitches, theme single stitches, rope-like stitches, round-trip stitches



程序可以按照花环、矩阵以及线性方式复制一

The program can copy a series of objects in a garland,



通过自定义拐角属性可以调整拐角处的处理结果。目 前支持两种拐角效果,包括斜角接缝拐角与帽状拐

customizing the corner attribute. Currently, two corner effects are supported, including beveled seam corners

刺绣设计软件EMCAD Professional Design Software EMCAD 10

单头机系列

Single Head Machine Series

- ❷家用和商用的完美选择 | Perfect for home and commercial use
- ◆独立控制,操作灵活 | Independent control, flexible operation
- ●适用复杂花型 | Handles intricate designs
- ❷占地面积小 | Compact space-saving design
- ♥快速换线技术 | Quick thread changing technology
- ●广泛材质适配 | Wide material compatibility

Nest系列 **Nest Series**



U盘传输花样 USB flash drive pattern transfer

采用发光 LOGO 屏设计

Adopts luminous LOGO screen design







100X100mm

Parameter specification

240X160mm

型号 (Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	显示屏 (Monitor)
Nest 10	1	10	350X260mm	7 'Lcd display

操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)
Chinese,English,French,Spanish,Portuguese, Turkish,German,Dutch,Thai,Arbic,Romania, Italian,Vietnamese,Hebreo,Polish,etc	Max 800SPM	35KG	850*800*900mm	110-240V/120W





360X260mm









十色线随心配 一幅作品,不用换线

Ten colors of thread, freely matched One piece of work, no thread change needed




90000 **889**

摒弃传统面板 采用发光LOGO屏设计

Abandons traditional panels, adopts luminous LOGO screen design





参数规格

100X100mm

Parameter specification

240X160mm

型号 (Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	显示屏(Monitor)
Nest 4	1	4	350X260mm	7 'Lcd display

操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)
Chinese,English,French,Spanish,Portuguese, Turkish,German,Dutch,Thai,Arbic,Romania, Italian,Vietnamese,Hebreo,Polish,etc	Max 800SPM	32KG	850*800*900mm	110-240V/120W





360X260mm












字母、花样任意组合

Arbitrary combination of letters and patterns

4色针头, 减少换线次数, 提高效率

4-color needle head, reduces thread changing times, improves efficiency














参数规格

型号 (Model)	自定义花样输入(USB) (Custom pattern input)	内置花样 (Built-in patterns)	绣花幅面(Emb.Space)	操作系统(Monitor)
Nest 2	Support	312 types	280X200mm	7 'Lcd display
刺绣文件格式 (Embroidery file format)	记忆能力 (Memory capability)	针距范围 (Needle pitch range)	针幅范围 (Needle width range)	锁屏功能 (Build-in sewing design)
DST, DSB	2,000,000 stitches	0-4mm	0-7mm	Yes
操作界面内置语言 (Operating language)	缝纫速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)
Chinese,English,French,Spanish,Portuguese, Turkish,German,Dutch,Thai,Arbic,Romania, Italian,Vietnamese,Hebreo,Polish,etc	Max 650SPM	17.5KG	610*495*440mm	100 - 240 V/45 W







Embroidery area expanded, weight slightly increased











参数规格

型号 (Model)	目定义化样输入(USB) (Custom pattern input)	内直化杆 (Built-in patterns)	绣花幅面(Emb.Space)	操作系统(Monitor)
Nest 1	Support	312 types	235X100mm	7 'Lcd display
刺绣文件格式 (Embroidery file format)	记忆能力 (Memory capability)	针距范围 (Needle pitch range)	针幅范围 (Needle width range)	缝纫线迹 (Build-in sewing design)
DST, DSB	2,000,000 stitches	0-4mm	0-7mm	162 types
操作界面内置语言 (Operating language)	缝纫速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率 (V/P)
Chinese,English,French,Spanish,Portuguese, Turkish,German,Dutch,Thai,Arbic,Romania, Italian,Vietnamese,Hebreo,Polish,etc	Max 650SPM	12KG	445*365*385mm	100-240V/45W







轻便易携,绣艺随行 Light & portable, embroidery on - the - go



Nova 系列

Nova Series



塑料罩壳 更小/更轻/更美观

Plastic housing Smaller, Lighter, More Attractive

外观简单 ,易于安装



Various embroidery hoop sizes to meet customer 's demands



采用防滑设计,可放置桌面上

Non-slip design, desktop-placeable







Nova 15


128X128mm

168X168mm

208X208mm

参数规格

Parameter specification



型号 (Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	操作系统(Monitor)
Nova 15	1	15	360X220mm	10 'Lcd display
操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)
Chinese, English, French, Spanish, Portuguese, Turkish, German, Dutch, Thai, Arbic, Romania,	Max 1000SPM	45KG	1100*800*850mm	100-250V/150W





WONYO














Nova 12

90X90mm

Parameter specification

型号 (Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	显示屏(Monitor)
Nova 12	1	12	360X220mm	10 'Lcd display

操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)
Chinese,English,French,Spanish,Portuguese, Turkish,German,Dutch,Thai,Arbic,Romania, Italian,Vietnamese,Hebreo,Polish,etc	Max 1000SPM	48KG	1100*800*850mm	110-240V/180W
















绣花线数量升级, 轻松实现多色绣品图

Embroidery Thread Quantity Upgrade, Enabling Easy Multi-Color Embroidery

操作屏尺寸升级 交互体验优化

Operation Screen Size Upgrade Interactive Experience Optimization



Quality 系列

Quality Series





多尺寸绣框 Multi-size embroidery frame



强大的图案处理能力 Powerful pattern processing capability



Strong power system







设备说明

Equipment description

- 适用于帽绣、成衣绣、平绣 Suitable for cap/tubular/t-shirt/flat embroidery
- ●兼容 DST、DSB 等格式花样 DST, DSB format are compatible
- •自动勾、剪线 Automatic thread trimming
- •自动换色,最大可换色次序 200 次 Automatic color change
- ●可通过 U 盘或者 WIFI 传输花样 Patterns can be transferred via USB flash drive or WIFI
- ●标配可移动桌子,方便移动 With foot wheels on machine body, easy for moving
- 高速螺纹系统 减少螺纹堵塞和跳动 High speed threading system, reduce thread jam and jump

- 最高可存 2000 万针 ,或是 200 个花板内存空间 20,000,000 stitches memories matched with 200 patterns
- 智能断线检测 Automatic thread break detection
- 270°广角帽绣系统 270° wide cap frame
- 紧急停车按钮 Emergency stop
- 多种绣框尺寸快速切换 Various embroidery hoop sizes to meet customer's demands
- 全伺服电机功率 150W 全行业耗电最低 Full servo motor with power 150W, lowest consumption of the whole industry
- DC36V XY 步进驱动器 ,工作静音 ,稳定精度高 DC36V XY stepper driver, silent working, stable and high precision

主要优势

Main advantage

- ●内置 LED 照明灯 Built-in LED lightening
- •自动剪线 Automatic wire cutting
- 全新设计螺纹支架可灵活调节 New design thread stand with flexible adjustment
- •日本进口梭壳 Japan imported bobbin case
- 内置花样、字母组合功能 Built-in pattern and letter combination functions
- ●内置 USB 接口 ,保护 USB Built-in USB port to protect USB
- 环保包装 Environmentally friendly packaging

- •操作面板角度适应性强,满足不同角度操作的要求 Operation panel Angle adaptability, to meet the requirements of different angles of operation
- •自动检测螺纹断裂和无线轴螺纹 Automatic detecting for thread breakage and no bobbin threads
- •日本进口旋转钩 Japan imported rotary hook
- ●德国进口针头 Germany imported needles
- ●激光定位装置 Laser positioning device
- 贴布、金片、雕孔等操作便捷 The operation of cloth, gold sheet, carving hole is convenient
- •自动保存花板参数 Automatic saving of flower board parameters













WYQ901

WYQ1201 WYQ1501





型号 (Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	操作系统(Monitor)
WYQ901/WYQ1201/WYQ1501	1	9/12/15	360X200mm	10 'Lcd display

操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)
Chinese,English,French,Spanish,Portuguese, Turkish,German,Dutch,Thai,Arbic,Romania, Italian,Vietnamese,Hebreo,Polish,etc	Max 1200SPM	158KG	1100*800*850mm	100-250V/150W








Quick color change system















型号 (Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	操作系统(Monitor)
WYQ901L/WYQ1201L /WYQ1501L	1	9/12/15	600X400mm	10 'Lcd display

操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率 (V/P)
Chinese, English, French, Spanish, Portuguese, Turkish, German, Dutch, Thai, Arbic, Romania, Italian, Vietnamese, Hebreo, Polish, etc	Max 1200SPM	226KG	1230*1030*1150mm	100-250V/150W


















\$ \$ \$ \$	
958	


型号 (Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	操作系统(Monitor)
WYQ901ML/WYQ1201ML /WYQ1501ML	1	9/12/15	1200X600mm	10 'Lcd display

操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)
Chinese,English,French,Spanish,Portuguese, Turkish,German,Dutch,Thai,Arbic,Romania, Italian,Vietnamese,Hebreo,Polish,etc	Max 1200SPM	290KG	1650*1300*1090mm	100-250V/150W





高转速刺绣 High-speed embroidery



故障自诊断系统 Self-diagnosis system for faults

马头机系列

Single-head Machine Series





色彩丰富
Independent embroidery frame



移动灵活 Remarkable agility









设备说明

Equipment description

- 适用于帽绣、成衣绣、平绣 Suitable for cap/tubular/t-shirt/flat embroidery
- ●兼容 DST、DSB 等格式花样 DST, DSB format are compatible
- •自动勾、剪线 Automatic thread trimming
- •自动换色,最大可换色次序 200 次 Automatic color change
- ●可通过 U 盘或者 WIFI 传输花样 Patterns can be transferred via USB flash drive or WIFI
- ●标配可移动桌子,方便移动 With foot wheels on machine body, easy for moving
- 高速螺纹系统 减少螺纹堵塞和跳动 High speed threading system, reduce thread jam and jump

- 最高可存 2000 万针 ,或是 200 个花板内存空间 20,000,000 stitches memories matched with 200 patterns
- 智能断线检测 Automatic thread break detection
- 270°广角帽绣系统 270° wide cap frame
- 紧急停车按钮 Emergency stop
- 多种绣框尺寸快速切换 Various embroidery hoop sizes to meet customer's demands
- 全伺服电机功率 150W 全行业耗电最低 Full servo motor with power 150W, lowest consumption of the whole industry
- DC36V XY 步进驱动器 ,工作静音 ,稳定精度高 DC36V XY stepper driver, silent working, stable and high precision

主要优势

Main advantage

- ●内置 LED 照明灯 Built-in LED lightening
- •自动剪线 Automatic wire cutting
- 全新设计螺纹支架可灵活调节 New design thread stand with flexible adjustment
- •日本进口梭壳 Japan imported bobbin case
- 内置花样、字母组合功能 Built-in pattern and letter combination functions
- ●内置 USB 接口 ,保护 USB Built-in USB port, to protect USB
- 环保包装 Environmentally friendly packaging

- •操作面板角度适应性强,满足不同角度操作的要求 Operation panel angle adaptability, to meet the requirements of different angles of operation
- •自动检测螺纹断裂和无线轴螺纹 Automatic detecting for thread breakage and no bobbin threads
- •日本进口旋转钩 Japan imported rotary hook
- ●德国进口针头 Germany imported needles
- ●激光定位装置 Laser positioning device
- 贴布、金片、雕孔等操作便捷 The operation of cloth, gold sheet, carving hole is convenient
- •自动保存花板参数 Automatic saving of flower board parameters









WY1201C

WY1501C

Parameter specification





型号 (Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	操作系统(Monitor)
WY1201C/WY1501C	1	12/15	510X360mm	10 'Lcd display

操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)
Chinese,English,French,Spanish,Portuguese, Turkish,German,Dutch,Thai,Arbic,Romania, Italian,Vietnamese,Hebreo,Polish,etc	Max 1200SPM	168KG	1100*800*850mm	100-250V/150W









适用于帽绣、衣绣、平绣

garment embroidery and flat embroidery

Suitable for hat embroidery,

Stylish Embroidered Backpack



















适用行业范围广泛 Wide industry applicability

Parameter specification





型号 (Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	操作系统(Monitor)
WY1201CL/WY1501CL	1	12/15	1200X360mm	10 'Lcd display
操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)
Chinese,English,French,Spanish,Portuguese, Turkish,German,Dutch,Thai,Arbic,Romania,	Max 1000SPM	210KG	1530*950*1040mm	100-250V/150W



Wind - resistant thread tube











WY1201CM

WY1501CM





型号 (Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	操作系统(Monitor)
WY1201CM/WY1501CM	1	12/15	800X500mm	10 'Lcd display


操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)
Chinese,English,French,Spanish,Portuguese, Turkish,German,Dutch,Thai,Arbic,Romania, Italian Vietnamese, Hebreo,Polish,etc	Max 1200SPM	255KG	1230*1230*1090mm	100-250V/150W







花鸟刺绣 Flower - and - bird embroidery



中式刺绣 Chinese - style embroidery











WY1201CML

WY1501CML





型号 (Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	操作系统(Monitor)
WY1201CML/WY1501CML	1	12/15	1200X500mm	10 'Lcd display
操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)
Chinese, English, French, Spanish, Portuguese, Turkish, German, Dutch, Thai, Arbic, Romania, Italian, Vietnamese, Hebreo, Polish, etc	Max 1200SPM	285KG	1530*1230*1090mm	100-250V/150W



单头机配件

Machine Accessories


配件体系,涵盖多样适配组件,标配含不同规格绣框,满足常规绣作面料固定需求,附件、选配丰富, 全方位适配绣花机多样化绣制作业,提升绣花效率与效果,适配不同材质、工艺的绣花生产需求。

标配 Standard Configuration


●配置绣框 Hoops included



绣框 (11.6") Tshirt Hoop



绣框 (8.2") Tshirt Hoop



绣框 (6.6") **Tshirt Hoop**



绣框 (5.04") **Tshirt Hoop**



绣框 (3.54") **Tshirt Hoop**

●帽绣附件 Cap device included



帽座 Cap Station



帽圈 Cap Hoop



帽驱动 Cap Driver

●其他附件

Accessories included



绕线器 **Bobbin Winder**



脚架 Stand Table



脚轮 Wheels



激光装置 **Laser Position**



台板&台板支撑 Table&Bench Support



铝框&料夹 Aluminum Hoop&Stock



工具 Tool Kit



工具箱&操作说明书 Tool Box&User Manuel



梭芯&梭壳 Bobbin & Bobbin Case

选配 **Optional Equipment**

磁框

Magnetic frame



磁框 (3.15") Magnetic frame



磁框 (7.85") Magnetic frame



磁框 (13.78"X6.5") Magnetic frame

Machine Accessories 50

选配 Optional Equipment



磁框 (7.78"X12.6") Magnetic frame



磁框 (5.51") Magnetic frame



磁框 (11.42"X11.81") Magnetic frame



磁框 (9.65") Magnetic frame



磁框 (10.04"X4.72") Magnetic frame



磁框 (4.33"X10.04") Magnetic frame

●袜绣附件 Cap device included



袜绣框 (2.17"X2.76") Sock embroidery frame



袜绣框 (2.56"X3.35") Sock embroidery frame



袜绣框 (2.95"X4.13") Sock embroidery frame

●其他附件

Cap device included



绣花线 Embroidery thread



衬布、衬纸、泡沫胶 Interlining fabric, interlining paper, foam adhesive



润滑脂 Grease

应用场景展示

Application Scenario Display













多头机 Quality系列

Multi-head machine Quality series

- ❷多头齐动效率高 | Multi-head synergy, high efficiency
- ●丰富色彩表现 | Rich color expression
- ▼大规模生产企业的不二之选 | The top choice for large scale manufacturers
- ●配备先进的控制系统和高端配件 | Advanced controls, high end parts
- ❷智能操作 | Intelligent operation
- ❷适用于多种面料 | Suitable for various fabrics









设备说明

Equipment description

- 适用于帽绣、成衣绣、平绣 Suitable for cap/tubular/t-shirt/flat embroidery
- ●兼容 DST、DSB 等格式花样 DST, DSB format are compatible
- •自动勾、剪线 Automatic thread trimming
- •自动换色,最大可换色次序 200 次 Automatic color change
- ●可通过 U 盘或者 WIFI 传输花样 Patterns can be transferred via USB flash drive or WIFI
- ●标配可移动桌子,方便移动 With foot wheels on machine body, easy for moving
- 高速螺纹系统 减少螺纹堵塞和跳动 High speed threading system, reduce thread jam and jump

- 最高可存 2000 万针 ,或是 200 个花板内存空间 20,000,000 stitches memories matched with 200 patterns
- 智能断线检测 Automatic thread break detection
- 270°广角帽绣系统 270° wide cap frame
- 紧急停车按钮 Emergency stop
- 多种绣框尺寸快速切换 Various embroidery hoop sizes to meet customer's demands
- 全伺服电机功率 150W 全行业耗电最低 Full servo motor with power 150W, lowest consumption of the whole industry
- DC36V XY 步进驱动器 ,工作静音 ,稳定精度高 DC36V XY stepper driver, silent working, stable and high precision

主要优势

Main advantage

- ●内置 LED 照明灯 Built-in LED lightening
- 自动剪线 Automatic wire cutting
- 全新设计螺纹支架可灵活调节 New design thread stand with flexible adjustment
- •日本进口梭壳 Japan imported bobbin case
- 内置花样、字母组合功能 Built-in pattern and letter combination functions
- ●内置 USB 接口 ,保护 USB Built-in USB port, to protect USB
- 环保包装 Environmentally friendly packaging

- •操作面板角度适应性强,满足不同角度操作的要求 Operation panel angle adaptability, to meet the requirements of different angles of operation
- •自动检测螺纹断裂和无线轴螺纹 Automatic detecting for thread breakage and no bobbin threads
- •日本进口旋转钩 Japan imported rotary hook
- ●德国进口针头 Germany imported needles
- ●激光定位装置 Laser positioning device
- 贴布、金片、雕孔等操作便捷 The operation of cloth, gold sheet, carving hole is convenient
- •自动保存花板参数 Automatic saving of flower board parameters










WYQ902

WYQ1202

Parameter specification



型号 (Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	操作系统(Monitor)
WYQ902/WYQ1202/WYQ1502	2	9/12/15	500X400mm	10 'Lcd display

操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)
Chinese,English,French,Spanish,Portuguese, Turkish,German,Dutch,Thai,Arbic,Romania, Italian,Vietnamese,Hebreo,Polish,etc	Max 1000SPM	410KG	1430*1030*1050mm	100-250V/450W





同时刺绣 两个相同图案

Embroider two identical patterns simultaneously









WYQ1203

1950*1050*1740mm

参数规格

Parameter specification





100-250V/450W

型号 (Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	操作系统(Monitor)
WYQ903/WYQ1203/WYQ1503	3	9/12/15	500X400mm	10 'Lcd display
操作界面内置语言	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)

545KG









3 Heads Work Smart, Output Soars Fast


Turkish, German, Dutch, Thai, Arbic, Romania,


Max 1000SPM






参数规格





			Ι•	٦
型号 (Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	操作系统(Monitor)
WYQ904/WYQ1204/WYQ1504	4	9/12/15	500X450mm	10 'Lcd display
操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)
Chinese, English, French, Spanish, Portuguese, Turkish, German, Dutch, Thai, Arbic, Romania,	Max 1000SPM	850KG	2450*1050*1740mm	100-220V/150W





















型号(Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	操作系统(Monitor)
WYQ906/ WYQ1206/WYQ1506	6	9/12/15	500X450mm	10 'Lcd display

操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)
Chinese,English,French,Spanish,Portuguese, Turkish,German,Dutch,Thai,Arbic,Romania, Italian,Vietnamese,Hebreo,Polish,etc	Max 1000SPM	1165KG	3400*1100*1740mm	100-250V/1000W




采用交流伺服电机, 精准驱动完成精美绣品


Adopt AC servo motors Precise drive to complete exquisite embroidery











				€ 880
型号 (Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	操作系统(Monitor)
WYQ908/ WYQ1208/WYQ1508	8	9/12/15	400X450mm	10 'Lcd display
操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率 (V/P)
Chinese,English,French,Spanish,Portuguese, Turkish,German,Dutch,Thai,Arbic,Romania,	Max 1000SPM	1400KG	3700*1100*1740mm	100-250V/1500W


1400KG













WY1510CH















WY1512CH







多头机配件

Machine Accessories

配件体系,涵盖多样适配组件,标配含不同规格绣框,满足常规绣作面料固定需求,附件、选配丰富, 全方位适配绣花机多样化绣制作业,提升绣花效率与效果,适配不同材质、工艺的绣花生产需求。

标配 **Standard Configuration**


●配置绣框 Hoops included



绣框 (11.6") Tshirt Hoop



绣框 (8.2") Tshirt Hoop



绣框 (6.6") **Tshirt Hoop**



绣框 (5.04") **Tshirt Hoop**



绣框 (3.54") **Tshirt Hoop**

●帽绣附件 Cap device included



帽座 Cap Station



帽圈 Cap Hoop



帽驱动 Cap Driver

●其他附件

Accessories included



绕线器 **Bobbin Winder**



脚架 Stand Table




脚轮 Wheels



激光装置 **Laser Position**



台板&台板支撑 Table&Bench Support



铝框&料夹 Aluminum Hoop&Stock



工具 Tool Kit



工具箱&操作说明书 Tool Box&User Manuel



梭芯&梭壳 Bobbin & Bobbin Case

选配 Optional Equipment

●磁框 Magnetic frame



磁框 (3.15") Magnetic frame



磁框 (7.85") Magnetic frame



磁框 (13.78"X6.5") Magnetic frame

选配 Optional Equipment



磁框 (7.78"X12.6") Magnetic frame



磁框 (5.51") Magnetic frame



磁框 (11.42"X11.81") Magnetic frame



磁框 (9.65") Magnetic frame




磁框 (10.04"X4.72") Magnetic frame



磁框 (4.33"X10.04") Magnetic frame

●袜绣附件





袜绣框 (2.17"X2.76") Sock embroidery frame



袜绣框 (2.56"X3.35") Sock embroidery frame



袜绣框 (2.95"X4.13") Sock embroidery frame

●其他附件

Cap device included



绣花线 Embroidery thread



衬布、衬纸、泡沫胶 Interlining fabric, Interlining paper, Foam adhesive



润滑脂 Grease

绣框和帽绣装置

Embroidery Frame and Hat Embroidery Device

机器头数 Number of Machine Head				
两头 Two Heads	x4	x1	x4	x2
三头 Three Heads	х6	x1	x6	x3
四头 Four Heads	x8	x1	x8	x4
六头 Six Heads	x12	x1	x12	x6
八头 Eight Heads	x16	x 1	x16	x8
十头 Ten Heads	x20	x 1	x20	x10
十二头 Twelve Heads	x24	x1	x24	x12

混合绣系列

Mixed Embroidery Series

- ❷优化路径减空走,提效增产 | Optimization path go empty, reduction effect production
- ❷一体呈链式细线条与毛巾绒感 | Integrated chain fine lines and towel velvet
- ●适配多样面料 | Adapt to a variety of fabrics
- ●支持多种绣法模式快速切换 | Support a variety of embroidery mode fast switch
- ●支持存储调用自定义绣花方案 | Support store call custom embroidery
- ●支持多层盘带叠加绣制 | Support multi-layer tape overlay embroidery



Automatic back embroidery





WY1501+1M

Mix Chenille Chain Stitch Embroidery Machine

链式毛巾混合绣

主要特点

Main features


- •适用于成衣绣、平绣 Suitable for t-shirt/flat embroidery
- ●兼容 DST、DSB 等格式花样 DST, DSB format are compatible
- •自动勾、剪线 Automatic thread trimming
- •自动换色,最大可换色次序 200 次 Automatic color change
- ●可通过 USB 或者网线传输花样 USB port and network to transfer design available
- •标配可移动桌子,方便移动 With foot wheels on machine body, easy for moving

- ●最高可存 2000 万针 ,或是 200 个花板内存空间 20,000,000 stitches memories matched with 200 patterns
- 智能断线检测 Automatic thread break detection
- •270°广角帽绣系统 270° wide cap frame
- 紧急停车按钮 Emergency stop
- 多种绣框尺寸快速切换 Various embroidery hoop sizes to meet customer's demands
- 系统自动识别 BMP 照片格式打版绣花 Direct photo embroidery




绣品展示

Embroidery exhibition



3D效果生成器 3D effect generator





一键切换刺绣模式 One-click Stitch Mode Switching



DST/DSB全兼容 DST/DSB fully compatible

参数规格





型号 (Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	操作系统 (Monitor)
WY1201+1M/ WY1501+1M	1+1\2+2\4+4\6+6\8+8	12/15	1200X500mm	10 'Lcd display

操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)
Chinese, English, French, Spanish, Portuguese, Turkish, German, Dutch, Thai, Arbic, Romania, Italian, Vietnamese, Hebreo, Polish, etc	Max 650SPM	850KG	2440*1220*1600mm	100-250V/1500W





Taping Embroidery Machine

盘带混合绣

主要特点

Main features


- 适用于成衣绣、平绣 Suitable for t-shirt/flat embroidery
- ●兼容 DST、DSB 等格式花样 DST, DSB format are compatible
- •自动勾、剪线 Automatic thread trimming
- •自动换色,最大可换色次序 200 次 Automatic color change
- ●可通过 USB 或者网线传输花样 USB port and network to transfer design available
- •标配可移动桌子,方便移动 With foot wheels on machine body, easy for moving

- ●最高可存 2000 万针 ,或是 200 个花板内存空间 20,000,000 stitches memories matched with 200 patterns
- 智能断线检测 Automatic thread break detection
- •270°广角帽绣系统 270° wide cap frame
- 紧急停车按钮 Emergency stop
- 多种绣框尺寸快速切换 Various embroidery hoop sizes to meet customer's demands
- 系统自动识别 BMP 照片格式打版绣花 Direct photo embroidery



绣品展示


Embroidery exhibition









Highly three-dimensional



装饰效果好 Excellent decorative effect

参数规格





型号(Model)	头数(Head)	针数(Needle#)	绣花幅面(Emb.Space)	操作系统(Monitor)
WY1201+1P/ WY1501+1P	1+1\2+2\4+4\6+6\8+8	12/15	1200X500mm	10 'Lcd display


操作界面内置语言 (Operating language)	绣花速度(Speed)	毛重(Weight)	包装尺寸(Packing Size)	电压/功率(V/P)
Chinese,English,French,Spanish,Portuguese, Turkish,German,Dutch,Thai,Arbic,Romania, Italian,Vietnamese,Hebreo,Polish,etc	Max 650SPM	800KG	2440*1220*1500mm	100-250V/1200W

79 混合绣系列

装置 Device

可选配装置 **Optional Devices**

- ●支持绣花、亮片等多工艺整合 | Support for embroidery, sequins and a more integrated process
- ●高效模块切换 | Efficient module switching
- ❤场景适配 | Scene adaptation
- ●激光装置的瞬间聚焦切割,适配高速量产 | Instant focused laser cutting for high-speed mass production
- ❤打破传统机型功能壁垒 | Break the functional barriers of traditional models
- ❤突破传统刺绣边界,满足个性化需求 | Break traditional embroidery boundaries to meet personalized needs





Beads device installation

珠绣装置为绣花机扩展珠绣功能,精准送珠、刺绣,适配多种珠型 The bead embroidery device extends the bead - embroidery function of the embroidery machine, enabling precise bead feeding and stitching, and compatible with various bead types









Cording device installation

可精准控制绳线,适配多样绳材,为绣品增添立体绳绣纹理 Precisely manipulates cords, accommodates diverse materials, adds 3D texture to embroidery

装置 Device

通过智能控制,快速将亮片有序镶嵌于面料,轻松打造装饰性绣品 Intelligently controls rapid, orderly sequin placement for decorative embroidery











Laser cutting device

借激光精准高效,为绣品添独特镂空切割纹理,拓展工艺边界 With laser precision and efficiency, it adds unique hollow-cut textures to embroidery and expands craftsmanship boundaries

装置 Device



裤腿绣装置

Trouser leg embroidery device

通过特殊夹具固定面料,配合多角度旋转机构, 实现 360°无死角精准刺绣, 适用于牛仔裤、工装裤等各类裤型的个性化图案绣制

Fixed by special clamps and combined with a multi-angle rotating mechanism, it enables 360 $^{\circ}$ precise embroidery without dead angles, suitable for personalized pattern stitching on various pants like jeans and work pants



鞋绣装置

Shoe embroidery device

借夹持结构固定鞋面,通过精准定位与刺绣动作, 完成个性化图案

The upper of the shoe is fixed by the clamping structure, and personalized patterns are completed through precise positioning and embroidery actions





气动鞋绣装置

Pneumatic shoe embroidery device

气动鞋绣装置借气压精准夹持鞋体,适配多样鞋型, 装夹稳、定位准

The pneumatic shoe embroidery device precisely holds the shoe body by air pressure, is suitable for various shoe types, and provides stable clamping and accurate positioning




多功能配件,可快速适配8种不同尺寸绣框 实现灵活换框、高效刺绣,适合多尺寸需求的用户

Multi-functional accessories that can be quickly adapted to 8 different sizes of embroidery frames, achieving flexible frame changing and efficient embroidery. Suitable for users with multi-size requirements

机器优势 Leading Advantages



伺服电机丝杆换色,性能更稳定,换色更精准、更丝滑,静音设计 Servo motor lead screw color change, more stable performance, more accurate color change, smoother and quieter design



Y 轴以直线导轨驱动,高速移动、精准有保障,一次保养更能支持长时间稳定作业 The Y-axis is driven by linear guides, ensuring high-speed movement and precise accuracy. A single maintenance can support long-term stable operation




旋梭箱轴和轴承的使用是独家专利,无需加油,更 耐用,更顺畅

The use of the spindle box shaft and bearings is an exclusive patent, requiring no oiling, making it more durable and smoother




装配使用 12.9 级硬度的达克罗螺丝, 防止生锈 ,更耐用

The assembly uses Dacromet screws with a hardness of 12.9 grade to prevent rust and ensure greater durability



机器使用 100-240V 宽电压,自动切换

The machine operates on a wide voltage range of 100-240V and switches automatically




机器红光辅助定位装置

Machine red light-assisted positioning device



新款扶手装置更耐用、更轻便 提升刺绣效果和速度

The new armrest device is more durable and lighter, enhancing the embroidery effect and speed




安装面使用 CNC 加工 ,驱动使用 1:2 传动 扭力更大,负载更强

The installation surface is processed by CNC, and the drive uses 1:2 transmission, which has greater torque and stronger load capacity



线架高低根据需要,可自由调整

The height of the wire frame can be freely adjusted as needed



伺服电机使用五倍行星减速箱, 增加精度,加大扭力

The servo motor uses a fivefold planetary reducer to enhance precision and increase torque